

IEIC Meeting: VFC Update

August 30, 2017

Erik Smith, Sr. Field Representative



CDPH – 10 Year Anniversary



Personnel Updates

- **Welcome:**
- **Manny Mones, Jr. – VFC Field Representative**
- **Warda Haq – Administrative Assistant**
- **Started: Monday, August 28**

Hep A Outbreak - SoCal

- **San Diego County**
 - Cases: 352
 - Deaths: 14
 - Hospitalizations: 264
 - *all as of 8/22/17

- **San Bernardino County**
 - Conducting outbreak prevention activities



VFC 2017-2018 Flu Products

Age Group	Product	Presentation	Manufacturer
6-35 months	Pediatric Fluzone	0.25mL single dose syringe, 10 pack	Sanofi
	FluLaval	0.5 mL single dose syringe, 10 pack	GSK
3-18 years	Fluzone	5mL multi-dose vial	Sanofi
	FluLaval	0.5mL single dose syringe, 10 pack	GSK
	Flucelvax - <i>Note: May not be used in patients younger than 4 years of age.</i>	0.5mL single dose syringe, 10 pack	Seqirus

Up-front VFC Flu Vaccine Allocations for each VFC Provider

Total Doses Allocated

- Unlike previous flu seasons, the number of doses on each VFC Provider's initial flu order for the 2017-2018 season is based on:
 - Usage of key pediatric and adolescent vaccines as reported by the practice through routine VFC vaccine orders
 - Total VFC flu doses ordered for the previous flu season,
 - Vaccine doses unused at the end of the season, and
 - Available flu vaccine supply pre-booked for distribution to California VFC providers

Brand Allocation

- Given the 2 different products available during this season for the 6-35 month age group and new products for the 3-18 age group, vaccine products (brands) allocated within each age group were based on general brand preference for other vaccines and historic ordering of specific presentations (i.e., MDVs Fluzone)


Initial Flu Order Confirmation

Deadline: August 31, 2017


Temperature Log Review, Preliminary Results, 2016-Present

281 PINs selected to submit logs prior to processing a vaccine order.


Findings: 271 PINs had one or more non-compliant item



Number of Instances



Top 8 Non-Compliance Areas ID'd during 2016 VFC Site Visits



Digital Data Logger Thermometers: DDLs



DDL Deadline

- All Providers must utilize DDLs as primary and back-up temperature monitoring devices by **December 1, 2017**

DDL Requirements

Accuracy +/-1.0°F (+/-0.5°C)

Logging interval Programmable (at least every 30 minutes)

Memory storage 4000 readings or more

Buffered temperature probe

- Only use the buffered probe bundled with the device
- Detachable from unit, or permanently embedded in a buffer as long as the temperature monitoring system can be calibrated
- Immersed in a vial filled with thermal buffer material, including liquid up to 60 mL (e.g., glycol, ethanol, or glycerin), loose media (e.g., sand or glass beads), or a solid block of material (e.g., Teflon® or aluminum)

Digital display

- External display
- Must include current, MIN, and MAX temperatures
- Must be in close proximity to the vaccine storage units and temperature logs
- Low-battery indicator

Alarm capabilities

- Programmable
- Visual or audible alarm to signal out-of-range temperatures

AFIX

- **AFIX (Assessment, Feedback, Incentives, and eXchange)**

Update Practice Information

MyVFCvaccines.org

[Key Practice Staff Change Request](#)

[Current Provider's Information](#)

[Update Practice Information](#)

[VFC Practice Profile](#)

Update Practice Information

Update Provider Information



Practice Profile



Key Practice Staff



Vaccine Storage
and Temperature
Monitoring
Equipment



Provider Profile



Health Care
Providers with
Prescription
Writing Privileges

Why we do what we do

